INTERTEK
ETL
CM
US
LISTED


Correct
Incorrect
Incorrect


ICE MAKING TIME
WATER CLEAN TIME
ICEMAKER COUNTDOWN TIME
ERROR CODE
STANDBY MODE
SET
UP
ICE MAKING
MOTORSPEED
ICE BIN FULL
ERROR CODE
WATER CHECK
START / STOP
WATER CLEAN
DOWN


Evaporator temp sensor
Condenser temp sensor
Solenoid valve
Water outlet valve
Fan
Motor
Compressor
PCB
Fuse 1
Fuse 2
L-line
E-line
N-line
Transformer
Ice full sensor
Water level sensor
Motor speed sensor
Display Board
High pressure sensor
Anti microbial


31
32
33
34
37
44
35
9
15
3
36
4
26
28
27
21
20
22
11
25
19
5
29
8
30
1
13
40
41
2
39
24
14
18
23
17
38
6
16
43
10
7
12
42

#	DESCRIPTION	QTY.
1	UPPER HINGE	1
2	FRONT AIR VENTILATION PANEL	1
3	ICE BIN ASSEMBLY	1
4	REAR PANEL 1	1
5	LEFT PANEL	1
6	BASIS PLATE	1
7	DOOR HINGE HOLDER	1
8	DISPLAY BOARD HOLDER PANEL	1
9	TOP PANEL	1
10	DOOR HINGE	1
11	REAR PANEL 2	1
12	ICE BIN FRONT PANEL	1
13	RIGHT PANEL	1
14	SEALED FIXED PLATE	1
15	STAINLESS STEEL INNER PANEL	1
16	CONDENSER	1
17	CONDENSER FAN	1
18	COMPRESSOR	1
19	DRIER FILTER	1
20	DRAIN PIPE CONNECTOR 1	1
21	POWER CORD	1
22	DRAIN PIPE CONNECTOR 2	1
23	DRAINAGE TEE	1
24	INTERNAL WATER INLET HOSE	1
25	PCB BOX	1
26	PCB BOX LID	1
27	PCB	1
28	TRANSFORMERS	1
29	DISPLAY BOARD	1
30	DISPLAY STICKER	1
31	D.C. MOTOR	1
32	EVAPORATOR	1
33	ICE OUTLET GUIDER	1
34	COVER OF ICE OUTLET GUIDER	1
35	WATER STORAGE BOX	1
36	D.C. CONVERT	1
37	MOTOR SPEED SENSOR	1
38	CONDENSER SENSOR	1
39	ICEFULL SENSOR	1
40	DOOR	1
41	DOOR HANDLE	1
42	GASKET	1
43	BASE FOOT	4
44	WATER FLOAT SENSOR	1


14.96" (380 mm)
34.13"
(866 mm)
33.46"
(850 mm)


23.50" (597 mm)
21.75" (552 mm)
4.25"
(108 mm)
1.96"
(50 mm)

Eliminates **99.9%** of viruses and bacteria, reducing the formation of mold, odors, and pollutants.

Revolutionary antimicrobial system maintains ice machine sanitation and improves ease of cleaning



GOLD STANDARD
LIFETIME
WARRANTY

GOLD STANDARD
LIFETIME
WARRANTY